UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/516,820	12/07/2004	Angelo Benvenuti	6433/PCT	7282
	7590 10/05/201 REINER, L.L.C.	EXAMINER		
P.O. BOX 3201	60	DEXTER, CLARK F		
ALEXANDRIA	A, VA 22320-0160		ART UNIT	PAPER NUMBER
			3724	
			MAIL DATE	DELIVERY MODE
			10/05/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application No.		Applicant(s)					
		10/516,820		BENVENUTI ET AL.					
			Examiner		Art Unit				
			Clark F. Dexter		3724				
Period fo	The MAILING DATE of this commu or Reply	nication appe	ears on the cove	r sheet with the c	orrespondence a	ddress			
WHIC - Exter after - If NC - Failu Any (ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE IN THE INSIDE OF	MAILING DA's of 37 CFR 1.136 munication. tatutory period will y will, by statute, c	TE OF THIS Control of the control of	OMMUNICATION vever, may a reply be time. SIX (6) MONTHS from to become ABANDONE	N. nely filed the mailing date of this of U.S.C. § 133).				
Status									
1)⊠	Responsive to communication(s) file	ed on <i>14 Apı</i>	ril 2010						
· ·	. · · · · · · · · · · · · · · · · · · ·								
3)	Since this application is in condition	<i>7</i> —			secution as to th	e merits is			
- , -	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Dispositi	on of Claims								
4)🖂	Claim(s) <u>1-3,5-7,9,17-20,22 and 24</u>	is/are pendi	ng in the applic	ation.					
,	4a) Of the above claim(s) is/are withdrawn from consideration.								
	i) Claim(s) is/are allowed.								
· —	Claim(s) <u>1-3,5-7,9,17-20,22 and 24</u>	is/are reject	ed.						
· ·	Claim(s) is/are objected to.	,							
•	Claim(s) are subject to restri	ction and/or	election require	ement.					
Applicati	on Papers								
9)□	The specification is objected to by the	ne Examiner							
•	The drawing(s) filed on <u>16 April 200</u>			a)□ objected to l	by the Examiner				
. • / 🔼	Applicant may not request that any obje			-	-				
				-		:FR 1 121(d)			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
·	nder 35 U.S.C. § 119	,							
	Acknowledgment is made of a claim	for foreign n	oriority under 3	5119 C & 110(a)	L(d) or (f)				
· .	_	i loi loi eigii p	monty under 5	0.3.C. § 119(a)	r-(u) 01 (1).				
aj	a) All b) Some * c) None of:								
	1. Certified copies of the priority documents have been received.								
	 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 								
			-		ed in this Nationa	i Stage			
* 0	application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.									
Attachmen	t(s)								
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)									
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date Notice of Informal Patent Application									
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:									
· · · · · · · · · · · · · · · · · · ·									

Art Unit: 3724

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on March 22, 2010 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35

U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-3, 5-7 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rufli, pn 811,332 in view of Brough et al., pn 4,638,440.

Regarding claims 1-3 and 5-7, Rufli discloses a device with almost every structural limitation of the claimed invention as follows:

- a path (e.g., between 27 and 11) for the products, extending from a product and trimmings entry position and a product delivery position, the trimmings being removed from the path between said entry position and said delivery position (i.e., the device of Rufli is fully capable of performing such a function), and said path being constructed and arranged to receive said trimmings and said products aligned in a row extending substantially parallel to a direction of advancement from said entry position to said delivery position (i.e., the device of Rufli is fully capable of performing such a function);
- extending along said path, a movable flexible member (e.g., 27) to retain and move the products and the trimmings (e.g., the device of Rufli is fully capable of meeting this limitation, particularly given the appropriately configured workpiece/product, such as a "soft" workpiece that is able to be deformed and pressed into the channels formed by features 32 to contact member 27) and an opposite longitudinal fixed element (e.g., 11) to retain said trimmings extending along said path parallel to a first branch of said flexible member, wherein said fixed longitudinal element is spaced from said first branch of said flexible member so as to allow the products to advance in contact with said flexible member (e.g., with at least 28) and with said fixed

longitudinal element, said contact being such to provide friction force between said flexible member and the products and the trimmings, and sliding friction between said fixed element and said products and said trimmings (e.g., the device of Rufli is fully capable of meeting this limitation, particularly given the appropriately configured workpiece/product);

- at least one pusher (e.g., 16) movable along a feed trajectory, to feed the series of products with the trimmings to said path wherein the pusher is constructed and arranged to fed simultaneously a series of the products and the trimmings, including a lead trim and a trailing trim, while in contact with each other and aligned in said row parallel to the direction of advancement between said flexible member and said fixed longitudinal elemen (i.e., the device of Rufli is fully capable of performing such a function); wherein said feed trajectory of the pusher intersects the path of the products between said flexible member and said fixed longitudinal element, overlapping in a final stretch (e.g., in the same manner as the present invention) of the path of the products in contact with said flexible member and said fixed longitudinal element;

[claim 2] wherein said products are rolls of wound web material and said trimmings are head and tail trimmings produced by cutting rolls or logs (this claim is directed to the workpiece/product which is not part of the claimed invention);

[claim 6 (from 2)] wherein the fixed longitudinal element and the first branch of the flexible member are operatively spaced relative to one another so as to receive rolls of wound web material and trimmings therefrom (e.g., the

device of Rufli is fully capable of meeting this limitation, particularly given the appropriately configured workpiece/product);

[claim 3] wherein said fixed longitudinal element is at a lower height than said flexible member (e.g., see Fig. 2);

[claim 5 (from 3)] wherein said first branch of the flexible member is approximately vertically overlapping said fixed longitudinal element (e.g., see Fig. 2);

[claim 7] wherein said flexible member extends upstream of said fixed longitudinal element, in relation to the a direction of feed of the products (e.g., as viewed in Fig. 2, element 27 extends to the right which is an upstream direction of element 11 in relation to a direction of feed of the workpieces/products, and in particular, element 27 extends upstream of element 11 when element 11 is fixed in the raised position (shown in phantom in Fig. 2));

[claim 22] wherein said fixed longitudinal element and said flexible member are positioned on opposite sides of a vertical median plane of symmetry of the products fed along said path; distance between said fixed longitudinal element and said flexible member in a plan projection being adjustable to handle products of variable diameters when received and fed along said path (e.g., the device of Rufli is fully capable of meeting this limitation as best understood, particularly given the appropriately configured workpiece/product); and the dimension and form of said pusher are such that during action of said pusher to feed the products to said path between the flexible

Page 6

member and the fixed longitudinal element the pusher does not interfere with said fixed longitudinal element and said flexible member.

Regarding claim 24, Rufli discloses a device with every structural limitation of the claimed invention as follows:

- a path (e.g., between 27 and 11) for the products, extending from a product and trimmings entry position and a product delivery position, the trimmings being removed from the path between said entry position and said delivery position (i.e., the device of Rufli is fully capable of performing such a function), and said path being constructed and arranged to receive said trimmings and said products aligned in a row extending substantially parallel to a direction of advancement from said entry position to said delivery position (i.e., the device of Rufli is fully capable of performing such a function);

- extending along said path, a movable flexible member (e.g., 27) to retain and move the products and the trimmings (e.g., the device of Rufli is fully capable of meeting this limitation, particularly given the appropriately configured workpiece/product, such as a "soft" workpiece that is able to be deformed and pressed into the channels formed by features 32 to contact member 27) and an opposite longitudinal fixed element (e.g., 11) to retain said trimmings extending along said path parallel to a first branch of said flexible member, wherein said fixed longitudinal element is positioned and spaced from said first branch of said flexible member so that the flexible member contacts the trimmings and the products on a top surface thereof and the fixed longitudinal element contacts these trimmings and products on another surface Application/Control Number: 10/516,820

Art Unit: 3724

thereof opposite the top surface so as to allow the products to advance in contact with said flexible member (e.g., with at least 28) and with said fixed longitudinal element;

Page 7

- at least one pusher (e.g., 16) movable along a feed trajectory, to feed the series of products with the trimmings to said path; wherein the pusher is constructed and arranged to feed simultaneously a series of the products and the trimmings, including a lead trim and a trailing trim, while in contact with each other and aligned in said row parallel to the direction of advancement between said flexible member and said fixed longitudinal element (i.e., the device of Rufli is fully capable of performing such a function); wherein said feed trajectory of the pusher intersects the path of the products between said flexible member and said fixed longitudinal element, overlapping in a final stretch (e.g., in the same manner as the present invention) of the path of the products in contact with said flexible member and said fixed longitudinal element; and wherein said flexible member and said fixed longitudinal element are arranged relative to one another to cause the trimmings to overturn due to an overturning torque applied thereon by said flexible member and said fixed longitudinal element (i.e., the last limitation does not clearly set forth any additional structure, and Rufli discloses structure that is "arranged relative to one another" such that the device of Rufli is fully capable of performing such a function).

Rufli lacks:

[from claims 1 and 24] wherein said flexible member has a feed speed, along said path, greater than a feed speed imparted on the products by said at least one pusher.

Art Unit: 3724

However, the Examiner takes Official notice that it is old and well known in the art to provide material conveyors of different speeds (or variable speeds) for various well known benefits including adjusting the spacing between work pieces. For example, it is old and well known in the art to decrease the speed of a first conveyor leading to a second, faster conveyor to increase spacing between the work pieces, and to increase the speed of the first conveyor relative to the second conveyor to reduce the spacing between work pieces. Brough et al. provides just one of many known examples wherein this particular configuration includes a pusher in the form of a first conveyor (e.g., 12) that feeds workpieces to a flexible member in the form of a second conveyor (e.g., 20), wherein the second conveyor is operable at a relatively high speed. Therefore, it would have been obvious to one having ordinary skill in the art to provide conveyors (e.g., including a movable flexible member and a pusher) having the claimed relative speeds to gain the well known benefits including those described above.

Further, in the alternative regarding claim 22, if it is argued that Rufli does not disclose adjustable structure that meets the limitation "distance between said fixed longitudinal element and said flexible member in a plan projection being adjustable", the Examiner takes Official notice that such adjustable structure is old and well known in the art and provides various well known benefits including adaptability to various kinds/dimensions of workpieces. Therefore, it would have been obvious to one having ordinary skill in the art to provide such adjustable structure on the device of Rufli to gain the well known benefits including that described above.

Art Unit: 3724

Rufli further lacks:

[from claims 1, 24] said path including at the entry position thereof a guide channel.

However, the Examiner takes Official notice that such guide channels are old and well known in the art and provide various well known benefits including facilitating orderly and stable advancement of a workpiece to or during an operation. It is noted that the recitation "guide channel" is extremely broad and such guides in various forms are old and well known in the art. For example, the subject recitation reads on walls surrounding a conveyor, which along with the conveying device, for a channel guide. Such an example is disclosed by Davison. As a further example, Gambaro discloses structure that could be characterized as guide channels in the form of channel structures 18 or even 14. Therefore, it would have been obvious to one having ordinary skill in the art to provide a guide channel in one of its various well known forms to gain the well known benefits including those described above.

Claim Rejections - 35 USC § 103

4. Claims 9 and 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rufli, pn 811,332.

Rufli discloses a device with almost every structural limitation of the claimed invention but lacks:

[claim 9] wherein spacing between the flexible member and the fixed longitudinal element is adjustable;

[claim 17] wherein said fixed longitudinal element comprises a synthetic material with a low friction coefficient;

[claim 18 (from 17)] wherein said synthetic material is polytetrafluoroethylene (Teflon);

[claim 19] wherein said fixed longitudinal element has a laminar extension, with a rounded surface in contact with the products;

[claim 20 (from 19)] wherein said fixed longitudinal element has a reduced height in proximity to the product and trimmings entry position.

Regarding claim 9, the Examiner takes Official notice that it is old and well known in the art to provide a workpiece supports and conveyors with variable spacing therebetween for various well known benefits including facilitating the processing of different sized work pieces. Therefore, it would have been obvious to one having ordinary skill in the art to provide such a variable spacing support/conveyor configuration to gain the well known benefits including that described above.

Regarding claims 17-20, the Examiner takes Official notice that such workpiece support configurations are old and well known in the art and provide various well known benefits including ease of manufacture, ease of handling and reduced wear/friction characteristics. Therefore, it would have been obvious to one having ordinary skill in the

Art Unit: 3724

art to provide such a longitudinal element configuration on the apparatus of Rufli for the well known benefits including those described above.

Response to Arguments

5. Applicant's arguments filed March 22, 2010 have been fully considered but they are not persuasive for at least the reasons further described in the prior art rejection above. Applicant is welcome to contact the Examiner to further discuss any issues including the present Office action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Clark F. Dexter whose telephone number is (571)272-4505. The examiner can normally be reached on Mondays, Tuesdays, Thursdays and Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer D. Ashley can be reached on (571)272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Clark F. Dexter/
Primary Examiner, Art Unit 3724

cfd September 30, 2010